




LITHIUM-ION RECHARGEABLE BATTERY

PRODUCT DATA SHEET
MODEL **INR-18650-P28A**

■ CELL CHARACTERISTICS

Capacity	Typical	2800 mAh 10.3 Wh
	Minimum	2600 mAh 9.56 Wh
Cell Voltage	Nominal	3.6 V
	Charge Discharge	4.2 V 2.5 V
Charge Current	Standard	2.8 A
	Maximum	6.0 A
Charge Time	Standard	1.5 hr
Discharge Current	Maximum	35 A
Internal Resistance	AC (1 KHz)	20 mΩ (Max)
	DC (10A/1s)	20 mΩ
Ambient Temperature	Charge	0°C to 60°C
	Discharge	-40°C to 60°C
Energy Density	Volumetric	610 Wh/l
	Gravimetric	220 Wh/kg

■ PHYSICAL CHARACTERISTICS




Shape	Cylindrical
Can	Steel
Diameter	18.6 mm (Max)
Height	65.2 mm (Max)
Weight	46 g (Typical)


The information contained herein is for reference only and does not imply a performance guarantee or a product warranty. Specifications and characteristics are subject to change without prior notice.

For application specific information, please contact E-One Moli Energy Sales and Applications or the nearest MOLICEL® recognized agent.


■ Charge Characteristics




■ Discharge Rate Characteristics



■ Discharge Temperature Characteristics



■ Cycle Characteristics



Distributed by:

StorTronics
24581 Crestview Court | Farmington Hills, MI 48335
(800) 650-8810 | (248) 912-1200 | Sales@StorTronics.com